

SEFAR® PET 1500

The screen printing mesh professionals use

swiss
mesh
technology



S E F A R
■ ■ ■ ■

SEFAR® PET 1500

The screen printing mesh professionals use

SEFAR® PET 1500 is the best stencil carrier for an almost infinite number of screen printing applications – the most wanted for decoration of any printable substrate. SEFAR® PET 1500 is available in the largest range of different screen printing mesh types.


Mesh features	Screen / stencil maker benefit	Printer benefit
Unsurpassed UV-A light undercutting protection of yellow mesh	<ul style="list-style-type: none">▪ Absorption range adapted to the UV-A radiation spectrum▪ Sharp-edged reproduction of the artwork on the stencil▪ Finest detail reproduction in stencil▪ Wide exposure tolerance	<ul style="list-style-type: none">▪ Sefar yellow supports the printing of demanding tasks in which high resolution detail are essential▪ High reproducibility of fine halftones and its gradients in print▪ Best edge definition in print
Adhesion and preparation optimized mesh surface	<ul style="list-style-type: none">▪ Homogeneous coating and constant application of emulsion▪ Easy and secure capillary film application thanks to excellent wetting properties▪ Compatible with all standard emulsions	<ul style="list-style-type: none">▪ Extended screen life▪ High quality image reproduction
Reproducible mesh relaxation	<ul style="list-style-type: none">▪ The tension drop between the stretching and printing process is stable and low for subsequent print runs▪ Process and product reliability	<ul style="list-style-type: none">▪ Better color to color reproduction▪ Good reproducibility of fine details in long print runs
Good ink and paste release behaviour	<ul style="list-style-type: none">▪ When bonding after the stretching process, adhesive passes good through the mesh, therefore less problem in bonding the mesh to the frame	<ul style="list-style-type: none">▪ Uniform ink application on large sized area prints▪ Maintaining of tightest color shade tolerances▪ High quality printing results in long print volume
Good antistatic behavior, thanks to Sefar antistatic treatment	<ul style="list-style-type: none">▪ Simple, reliable and user-friendly screen production▪ Reduced susceptibility to dust in the stencil production▪ Reduction of retouching time	<ul style="list-style-type: none">▪ Production reliability thanks to reduced risk of electrostatic charge▪ Error-free and clean printing▪ Reduction of waste in the print process and increased production efficiency
Wide standard range with high availability	<ul style="list-style-type: none">▪ Optimizing of storage management▪ Short delivery time▪ High reliability ensures continuous production	<ul style="list-style-type: none">▪ Ensured continual delivery of stencils▪ Unlimited options of ink/paste film thickness
Manufactured to meet the highest industry standards	<ul style="list-style-type: none">▪ Process stability through consistent quality control▪ Quality you can count on	<ul style="list-style-type: none">▪ High quality printing results▪ Process reliability thanks to the best stencil quality▪ Predictable results, no surprises on press

SEFAR® PET 1500


The screen printing mesh professionals use

Unsurpassed UV-A light undercutting protection

Sefar's proprietary mesh dying process allows for a large exposure latitude and the highest resolution of sharp edge stencil copy.




Undercutting protection of SEFAR® PET 1500 120/305-34Y




Undercutting protection of standard dyed polyester mesh 120/305-34Y

Surface treatment

The SEFAR® PET 1500 surface treatment ensures optimum adhesion, good wettability and favorable antistatic properties – ideal for high quality and efficient processing of all the commercially-available screen printing stencil systems.



Stencil adhesion of SEFAR® PET 1500 120/305-34Y



Stencil adhesion of standard polyester mesh 120/305-34Y

Applications

SEFAR® PET 1500 impresses with its performance in a wide variety of applications, ranging from graphic screen printing in small and large sizes, such as posters, displays, and signage; printing on plastics such as sporting goods, thermoformed parts, etc.; on the decoration of ceramic, directly or indirectly, and on up to textile printing and other industrial printing tasks.



Backlit posters with halftones higher than 30 lines/cm printed with SEFAR® PET 1500 165/420-27Y



For selected clear varnish on labels, printed with SEFAR® PET 1500 77/195-55Y




Intense metallic effects on sporting goods with SEFAR® PET 1500 90/230-40Y



Great detail reproduction on ceramic decals printed with SEFAR® PET 1500 150/380-31Y

Mesh assortment

The SEFAR® PET 1500 range is available in a broad range of mesh types and widths. The mesh properties provide solutions for all types of screen printing applications. Choose the ideal screen printing meshes from our product portfolio for your printing needs. For specific advice on your application please contact your local Sefar sales representative.



Sefar worldwide

Sefar is the leading manufacturer of precision fabrics from monofilaments for the screen printing and filtration market. Sefar products are used in a wide variety of industries, reaching from electronics, graphics, medical, automotive, food and pharmaceutical applications to aerospace, mining & refining and architecture. With its profound understanding of the applications Sefar helps its customers to achieve optimum results in their industrial processes. Subsidiaries and fabrications centers around the world provide local technical service for the broad range of solutions offered by Sefar.

Headquarters

Sefar AG
Hinterbissastrasse 12
9410 Heiden – Switzerland
Phone +41 71 898 57 00
Fax +41 71 898 57 21
printing@sefar.com
www.sefar.com

Subsidiaries Americas

USA – Buffalo
Phone +1 800 995 0531
sales@sefar.us

Mexico – Cuautitlan Izcalli
Phone +52 55 5394 8689
info.mexico@sefar.com

Brazil – São Bernardo do Campo
Phone +55 11 4390 6300
printing@sefar.com

Subsidiaries Asia

Singapore
Phone +65 6299 9092
info.sg@sefar.com

China – Shenzhen
Phone +86 755 2382 0322
printing@sefar.com

China – Suzhou
Phone +86 512 6283 6383
printing@sefar.com

Hong Kong – Kwai Fong N.T.
Phone +852 2650 0581
printing@sefar.com

India – Thane
Phone +91 2522 2940 34/35/36
printing@sefar.com

Subsidiaries Europe

Spain – Cardedeu
Phone +34 93 844 47 10
printing@sefar.com

Your Sefar trading partner:



Sweden

Phone +46(0)40-672 84 00
E-mail: info@marabu.se
www.marabu.se

Denmark

Phone +45-70 10 00 67
E-mail: info@marabu.dk
www.marabu.dk

Norway

Phone +47-22 73 50 00
E-mail: info@marabu.no
www.marabu.no

Finland

Phone +358-9 279 85 40
E-mail: info@marabu.fi
www.marabu.fi



Our most current general sales conditions shall apply.
Please consult the most current local product data sheet prior to any use.

S E F A R